

Edge[®] 9X

SERIES LIGHTBARS



The Edge 9X combines the most valuable design aspects of our popular lightbars with expanded customization! The Edge 9X Series celebrates Whelen's long history of providing innovative, lifesaving equipment to the emergency warning industry. The competitively priced Edge 9X is designed for durability and is highly configurable for a wide range of applications. With models available in both Short and Tall profiles and in a variety of lengths, the Edge 9X Series is an ideal solution for any vehicle application.

FEATURES


- DUO[™] Linear12[™] LED
- Hard-coated polycarbonate lenses resist environmental damage from sand, sun, salt, and road chemicals
- Photocell included
- Passenger side cable exit
- Advanced thermal design
- DUO Linear6[™] LED Warning and Scene Take-Down/Alley
- Molded polycarbonate top repels hail and other environmental damages
- Black top comes standard. Amber, Blue, and Red tops available; see options
- Brake/Tail/Turn option available
- Extended adjustable mounting feet




Images shown are of 9XT5FFFF Edge 9X DUO

SPECS


Voltage: 12/24 VDC
 Certifications: SAE Class 1, California Title 13
 ECE R65
 Dimensions: Short: 1.88" (4.78cm) H x 11.52" (29.26cm) W
 Tall: 2.73" (6.93cm) H x 11.52" (29.26cm) W
 Warranty: 5-year warranty



9XS



9XT



9XS



9XT



DUO[™] Linear12 LED



Molded Polycarbonate Black Tops



Hard-Coated Polycarbonate Lenses



⚠ WARNING: This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

WHELEN ENGINEERING COMPANY, INC.




Edge® 9X Series Lightbars



WeCanX®

WeCanX is the smartest and most powerful CAN-based communication system we've ever engineered. Providing true system synchronization, greater speed capabilities, expanded peripheral add-ons, and full support of diagnostics, WeCanX is designed for optimal situational awareness programming.


WeCanX processes over 65,000 virtual inputs and supports numerous combinations of WeCanX devices, including support for multiple Whelen peripherals of the same type on the same vehicle. All CANport™ signals are configurable as triggerable events.



DYNAMIC VARIABLE INTENSITY™ LIGHT PATTERNS

Edge 9X includes Dynamic Variable Intensity (DVI™) patterns* which are designed to help create an advanced level of safety at nighttime emergency scenes. Building on Whelen's situation-based nighttime mode, DVI flash patterns produce safer environments for first responders by gradually increasing and decreasing warning light intensity. DVI patterns help better convey visual information to approaching motorists, clearly indicating when an emergency vehicle is parked and improving their ability to navigate around an emergency scene safely.

*A WCX® Controller is required to access DVI in Edge 9X lightbars

 **WARNING:** This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

WHELEN
MANUFACTURED IN AMERICA



Edge® 9X Series Lightbar Lengths

Edge 9X lightbar lengths have up to a total of 64 available outputs for use within the bar.

- Each full-size lighthouse with DUO™ color options requires 2 outputs
- Each full-size lighthouse with Split/DUO color options requires 3 outputs
- Short modules serve multiple purposes:
 - Warning/Illumination utilizes 2 outputs
 - Illumination only (SOLO™) utilizes 1 output



- Warning/Illumination
- DUO/Takedown/Alley
- Customizable to customer needs



- 2 inputs DUO functionality
- 3 LEDs in illumination purpose optic (can be color and double as warning)
- 3 LEDs offset for warning purpose




- 1 input SOLO functionality
- 3 LEDs in illumination purpose optic




- 2 inputs warning light with DUO functionality
- 6 LEDs color 1
- 6 LEDs color 2
- Serves as corner module as well as directional modules




- 3 inputs Split warning with DUO secondary warning
- 3 LEDs Color 1A
- 3 LEDs Color 1B
- 6 LEDs Color 2
- Only for use as center module single center section on 31", 43", 54", and 66" lightbar lengths




25"
28 Total Outputs



31"
34 Total Outputs




36"
36 Total Outputs




43"
42 Total Outputs




48"
44 Total Outputs



54"
50 Total Outputs



59"
52 Total Outputs



66"
58 Total Outputs



70"
60 Total Outputs




Edge® 9X Series Lightbars

WHELEN ENGINEERING COMPANY, INC.

Edge 9X Series Lightbars, 12 VDC	
9XT5####	25" Tall Edge 9X Lightbar, 12 VDC
9XS5####	25" Short Edge 9X Lightbar, 12 VDC
9XT3####	31" Tall Edge 9X Lightbar, 12 VDC
9XS3####	31" Short Edge 9X Lightbar, 12 VDC
9XT6####	36" Tall Edge 9X Lightbar, 12 VDC
9XS6####	36" Short Edge 9X Lightbar, 12 VDC
9XT4####	43" Tall Edge 9X Lightbar, 12 VDC
9XS4####	43" Short Edge 9X Lightbar, 12 VDC
9XT8####	48" Tall Edge 9X Lightbar, 12 VDC
9XS8####	48" Short Edge 9X Lightbar, 12 VDC
9XT2####	54" Tall Edge 9X Lightbar, 12 VDC
9XS2####	54" Short Edge 9X Lightbar, 12 VDC
9XT0####	59" Tall Edge 9X Lightbar, 12 VDC
9XS0####	59" Short Edge 9X Lightbar, 12 VDC
9XT1####	66" Tall Edge 9X Lightbar, 12 VDC
9XS1####	66" Short Edge 9X Lightbar, 12 VDC
9XT7####	70" Tall Edge 9X Lightbar, 12 VDC
9XS7####	70" Short Edge 9X Lightbar, 12 VDC
Edge 9X Series Lightbars, 24 VDC	
9XH5####	25" Tall Edge 9X Lightbar, 24 VDC
9XL5####	25" Short Edge 9X Lightbar, 24 VDC
9XH6####	36" Tall Edge 9X Lightbar, 24 VDC
9XH8####	48" Tall Edge 9X Lightbar, 24 VDC
9XL2####	54" Short Edge 9X Lightbar, 24 VDC
9XH0####	59" Tall Edge 9X Lightbar, 24 VDC
9XL0####	59" Short Edge 9X Lightbar, 24 VDC



For LEDs, Replace * symbol in model number with color desired: A = Amber, B = Blue, C = White, R = Red
 For Colored Tops, replace * symbol with color desired: A = Amber, B = Blue, R = Red
 Replace # symbol in model number with split, DUO: D = Red/White, E = Blue/White, F = Amber/White, J = Red/Blue, K = Red/Amber, L = Red/Green, M = Blue/Amber, P = Green/Amber
 -- Available vehicle models for MKEL and MBEL may vary, please consult your Whelen sales representative.



9XENDA (2), 9XSCNTA (1), 9XDCNTA (2)



9XENDB (2), 9XSCNTB (1), 9XDCNTB (2)



9XENDR (2), 9XSCNTR (1), 9XDCNTR (2)

WARNING: This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

Brake/Tail/Turn	
9SXBTRR	Two Super-LED® Brake/Tail/Turn Lights with Red Color Filters, Short Lightbar, 12 VDC
9SXBTTT	Two Super-LED Brake/Tail/Turn Lights with Clear Color Filters, Short Lightbar, 12 VDC
9TXBTTR	Two Super-LED Brake/Tail/Turn Lights with Red Color Filters, Tall Lightbar, 12 VDC
9TXBTTC	Two Super-LED Brake/Tail/Turn Lights with Clear Color Filters, Tall Lightbar, 12 VDC
9LXBTRR	Two Super-LED Brake/Tail/Turn Lights with Red Color Filters, Short Lightbar, 24 VDC
9LXBTTT	Two Super-LED Brake/Tail/Turn Lights with Clear Color Filters, Short Lightbar, 24 VDC
9HXBTRR	Two Super-LED Brake/Tail/Turn Lights with Red Color Filters, Tall Lightbar, 24 VDC
9HXBTTT	Two Super-LED Brake/Tail/Turn Lights with Clear Color Filters, Tall Lightbar, 24 VDC
9SXD#	One DUO™ Color Long Super-LED Lighthouse, Amber, Blue, Red, and/or White, Short Lightbar, 12 VDC
9TXD#	One DUO Color Long Super-LED Lighthouse, Amber, Blue, Red, and/or White, Tall Lightbar, 12 VDC

Edge 9X WeCanX® Series Options	
9SXD***	One Long Super-LED Lighthouse, Split-Color Primary Warning with Full-Color Secondary Warning for Center Mount on 31", 43" and 54" Short Lightbars Only
9TXD***	One Long Super-LED Lighthouse, Split-Color Primary Warning with Full-Color Secondary Warning for Center Mount on 31", 43" and 54" Tall Lightbars Only
9SXTW*	One DUO Color Super-LED Take-Down or Alley Light, Amber/White, Blue/White, White/White, Red/White, Short Lightbar Only
9TXTW*	One DUO Color Super-LED Take-Down or Alley Light, Amber/White, Blue/White, White/White, Red/White, Tall Lightbar Only
9SXT	Super-LED Take-Down or Alley Lights, White, Pair, Short Lightbar Only
9TXT	Super-LED Take-Down or Alley Lights, White, Pair, Tall Lightbar Only
9SXDCSBL	Driver Side Cable Exit, Short Lightbar Only
CCP	Core® Control Point for Use with WeCanX Devices when NOT Using CenCom Core®
MKEL--	Adjustable Extended Length Mounting Kit for Edge 9X
MBEL--	Adjustable Extended Length Mounting Kit for Edge 9X, Black Straps
9XEND*	Colored Top, End, for 9X Series, Additional Charge When Purchased with Edge 9X Lightbar, Amber, Blue, and Red
9XSCNT*	Colored Top, Single Section, for 9X Series, Additional Charge When Purchased with Edge 9X Lightbar, Amber, Blue, and Red
9XDCNT*	Colored Top, Double Section, for 9X Series, Additional Charge When Purchased with Edge 9X Lightbar, Amber, Blue, and Red

Download WeCad™ for full list of available options at whelen.com/download-software

All products proudly designed, manufactured, and assembled in the U.S.A.
 • ISO 9001 Registered QMS

Whelen Engineering reserves the right to upgrade and improve products without notice.
 © 2024 Whelen Engineering Company, Inc. Printed in U.S.A.
 Code No. P13430E - 10/2024

WHELEN®
 MANUFACTURED IN AMERICA

51 Winthrop Road
 Chester, Connecticut 06412-0684
 (860) 526-9504
www.whelen.com